



breezeEV

by **Light Efficient Design**

SMART · SIMPLE · CHARGING

R40 / R48
NON-NETWORKED
RFID CHARGING*
UP TO 48A
CHARGING POWER



P48 / P80
NETWORKED
SMART CHARGING
UP TO 48A
CHARGING POWER



P80d
DUAL PORT SMART
CHARGING
UP TO 80A
CHARGING POWER



D-SERIES
DC COMPACT
CHARGER / 40kW
PROVIDES UP TO
80 MILES OF RANGE IN
30 MINUTES



C-SERIES
DC FAST CHARGER
60kW-240kW
PROVIDES UP TO
125 MILES OF RANGE IN
10 MINUTES

F-SERIES
DC HiPOWER CHARGER
480KW-640kW
PROVIDES UP TO 250 MILES
OF RANGE IN 10 MINUTES



* 5 RFID CARDS INCLUDED.

LEVEL 2, NON-NETWORKED CHARGING

NO NETWORK NEEDED – SIMPLY PLUG + CHARGE

INSTALL ON A PEDESTAL OR WALL MOUNT...

3 YEAR WARRANTY | **200-240V AC**

11.5 kW S48 MAX OUTPUT | **9.6 kW** R40 MAX OUTPUT | **11.5 kW** R48 MAX OUTPUT

SCAN FOR MORE INFO ON PEDESTALS + MOUNTING OPTIONS



PART #	CHRG AMPS	CONNECTOR	NETWORK	USER INTERFACE	OCPP SOFTWARE	UNIT DIMENSIONS	LISTINGS
R40 ALL-IN-ONE KIT (INCLUDES CHARGER W/ 18 FT OR 25 FT, 10AWG, 40A CABLE)							
EVC-L2-R40-18	UP TO 40A	SAE J1772	RFID	N/A	N/A	9.8" x 14.2" x 3.9"	
EVC-L2-R40-25							
R48 ALL-IN-ONE KIT (INCLUDES CHARGER W/ 18 FT OR 25 FT, 8AWG, 48A CABLE)							
EVC-L2-R48-18	UP TO 48A	SAE J1772	RFID	N/A	N/A	9.8" x 14.2" x 3.9"	
EVC-L2-R48-25							
R40 / R48 IN THE BOX							
	18 FT (R40-18/R48-18) OR 25 FT (R40-25/R48-25) OUTPUT CORD W/ SAE J1772 CONNECTOR			5 RFID CARDS		MOUNTING HARDWARE + INSTRUCTIONS	

* 5 YEAR EXTENDED WARRANTY AVAILABLE. CONTACT SALES REPRESENTATIVE

PART #	CHRG AMPS	CONNECTOR	NETWORK	USER INTERFACE	OCPP SOFTWARE	UNIT DIMENSIONS	LISTINGS
S48 ALL-IN-ONE KIT (INCLUDES CHARGER W/ 18 FT OR 25 FT, 8AWG, 48A CABLE)							
EVC-L2-S48-18	UP TO 48A	SAE J1772	N/A	N/A	N/A	8" x 9.2" x 4"	
EVC-L2-S48-25							
S48 IN THE BOX							
	1 FT INPUT CORD W/ NEMA 14-50 PLUG (ATTACHED TO UNIT)			18 FT (S48-18) OR 25 FT (S48-25) OUTPUT CORD W/ SAE J1772 CONNECTOR			CABLE HOOK W/ HOLSTER + BACKPLATE
LEVEL 2 EV CHARGER TESTER							
	MOUNTING HARDWARE + INSTRUCTIONS						
PART #	DESCRIPTION						
EVC-L2-ACC-TESTER-J1772	VERIFY THE CORRECT OPERATION AND SETTING OF AN EV CHARGER AFTER INSTALLATION, W/O AN ELECTRIC VEHICLE PRESENT						

LEVEL 2, NETWORKED SMART CHARGING

PERFECT FOR
MULTI-UNIT HOUSING,
OR RETAIL PROPERTIES...



EQUIPPED W/ LCD SCREEN, RFID, OCPP NETWORK

INSTALL ON A
PEDESTAL OR
WALL MOUNT...



SCAN FOR MORE
INFO ON PEDESTALS +
MOUNTING OPTIONS



PART #	CHRG AMPS	CONNECTOR	CABLE LENGTH	NETWORK	USER INTERFACE	OCPP SOFTWARE	UNIT DIMENSIONS	LISTINGS
P48 ALL-IN-ONE KITS (INCLUDES CHARGER W/ 48A CABLE SET)								
EVC-L2-48A-L1-1-4G-D	UP TO 48A	SAE J1772	18FT	ETHERNET/RFID/4G	LCD DISPLAY	1YR AMPUP PRO	9.8" x 13.8" x 5.1"	
EVC-L2-48A-L1-1-4G-D-25			25FT					
P80 ALL-IN-ONE KIT (INCLUDES CHARGER W/ 80A CABLE SET)								
EVC-L2-P80-18-AP1	UP TO 80A	SAE J1772	18FT	ETHERNET/RFID/4G	LCD DISPLAY	1YR AMPUP PRO	9.8" x 13.8" x 5.1"	

PART #	DESCRIPTION	PART #	DESCRIPTION
PEDESTALS / ACCESSORIES			
EVC-L2-ACC-LPK2	LOWER PEDESTAL KIT FOR L2 CHARGER	EVC-L2-ACC-CM	CABLE MGMT FOR PEDESTAL W/ 2 RETRACTORS
EVC-L2-ACC-SSB	BRACKET FOR SIDE-BY-SIDE CHARGERS	EVC-L2-ACC-CM1	CABLE MGMT FOR PEDESTAL W/ 1 RETRACTOR
EVC-L2-ACC-ANCHOR KIT WET	WET CONCRETE ANCHOR KIT	EVC-L2-ACC-CMR	CABLE RETRACTOR W/ SPRING LOADED TETHER
EVC-L2-ACC-MAKE READY BASE	CHARGING STATION FOUNDATION	EVC-L2-ACC-HAD	HOOK/HOLSTER FOR WALL MOUNTING

LEVEL 2 EV CHARGER TESTER	
PART #	DESCRIPTION
EVC-L2-ACC-TESTER-J1772	VERIFY THE CORRECT OPERATION AND SETTING OF AN EV CHARGER AFTER INSTALLATION, W/O AN ELECTRIC VEHICLE PRESENT



LEVEL 2, NETWORKED SMART CHARGING



8-INCH HD
ADVERTISING
SCREEN...

UNIT W/ PEDESTAL
MOUNT SHOWN...

EQUIPPED W/ LCD SCREEN, RFID, OCPP NETWORK



PART #	MODEL #	DESCRIPTION
P80D		
BEV-L2-P80D-18-CM-P	MU38FP5C	DUAL 80A CHARGER, 18' 80A CABLE SET, 4G CELLULAR, POS, PEDESTAL MOUNT, CABLE MANAGMENT
BEV-L2-P80D-18	UF38C001	DUAL 80A CHARGER, 18' 80A CABLE SET, 4G CELLULAR, WALL-MOUNT
BEV-L2-P80D-25-CM-P	MU38FP7C	DUAL 80A CHARGER, 25' 80A CABLE SET, 4G CELLULAR, POS, PEDESTAL MOUNT, CABLE MANAGMENT
BEV-L2-P80D-25	UF38L001	DUAL 80A CHARGER, 25' 80A CABLE SET, 4G CELLULAR, WALL-MOUNT

PART #	MODEL #	DESCRIPTION
ACCESSORIES		
BEV-L2-P80D-PP	FPP	P80 PEDESTAL POST
BEV-L2-P80D-CM6	CMSB2	D80P-18 6' CABLE MANAGEMENT SYSTEM
BEV-L2-P80D-CM9	CMSA2	D80P-25 9' CABLE MANAGEMENT SYSTEM
BEV-L2-P80D-POS	POSA	D80P POS TERMINAL

LEVEL 3, NETWORKED SMART CHARGING



...INSTALL ON A PEDESTAL OR MOVABLE TROLLEY

...FOR PEOPLE & BUSINESSES WHERE TIME IS THE MOST VALUED ASSET



...PERFECT FOR HIGHWAY REST-STOP, GAS STATIONS AND FLEET MANAGEMENT

PART #	MODEL #	DESCRIPTION
C-SERIES DC COMPACT CHARGER		
BEV-L3-C40-25-PM	DC40APN25	DUAL 40KW COMPACT DCFC 25 FT PEDESTAL MOUNT CABLE/CCS1
BEV-L3-C40-25-PPM	DC40APC25	DUAL 40KW COMPACT DCFC 25 FT PEDESTAL MOUNT CABLE/CCS1 W/ POS
BEV-L3-C40-25-T	DC40ATN25	DUAL 40KW COMPACT DCFC 25 FT TROLLEY CABLE/CCS1

PART #	MODEL #	DESCRIPTION
D-SERIES DC FAST CHARGER		
BEV-L3-D60	UF060A3001	60KW UL DUAL PORT DCFC
BEV-L3-D120	UF120A3001	120KW UL DUAL PORT DCFC
BEV-L3-D180L	UF180A4001	180KW UL DUAL PORT DCFC
BEV-L3-D240L	UF240A4001	240KW UL DUAL PORT DCFC

PART #	MODEL #	DESCRIPTION
F-SERIES DC HI-POWER CHARGER		
BEV-L3-F480-2B	US480A2L0	480KW DCFC, 2 DISPENSERS 4 PORTS: BOOST 16' CABLE/CCS1 CABLE MANAGEMENT
BEV-L3-F480-2LC	US480A0L2	480KW DCFC, 2 DISPENSERS 4 PORTS: LIQUID COOLED 16' CABLE/CCS1 CABLE MANAGEMENT
BEV-L3-F640-2B	US640A2L0	640KW DCFC, 2 DISPENSERS 4 PORTS: BOOST 16' CABLE/CCS1 CABLE MANAGEMENT
BEV-L3-F640-2LC	US640A0L2	640KW DCFC, 2 DISPENSERS 4 PORTS: LIQUID COOLED 16' CABLE/CCS1 CABLE MANAGEMENT

INCLUDES...
2 POWER DISPENSERS
AND A NONDESCRIP
POWER CABINET.





breez-EV.com



Light Efficient Design